



**YOUR
SUCCESS
IS IN YOUR
HANDS**

digitX®
digitx-gloves.com

DIGITX® GLOVES

- ✓ **18G.** The word “gauge” designates the number of stitches per inch of a particular glove. The rule is that as the glove’s gauge increases, the amount of yarn used per square inch actually decreases. In general, 13 gauge gloves are the most coarse, thicker gloves on the DigitX-gloves line-up. In contrast, the smallest needles are needed to make our 18 gauge gloves, since the yarn used to make them is much thinner.
- ✓ **DEXTERITY.** By definition, dexterity refers to the ease at which a task can be performed easily using your hands. Level 5 is the maximum dexterity level tested by the norm.
- ✓ **DOTS OR STRIPES.** On the glove’s palm, serve to improve grip and prevent slipping especially in oily or humid environments
- ✓ **REINFORCEMENT.** It is an additional piece placed between the index finger and the thumb that serves to prevent erosion of the finger joint and extend the life of the glove.
- ✓ **HAND FATIGUE.** DigitX-gloves are designed and manufactured always taking into account the reduction of hand fatigue





Marketing
department

DIGITX® GLOVES

FOCUSED ON INNOVATION

DESIGN AND QUALITY
DERMATOLOGICAL
COMFORT & HANDCARE

- ✓ **Patented technology that extends wear life** tripling the durability
- ✓ **Improved dexterity** for maximum comfort
Reduces hand fatigue
- ✓ **Sanitized®**
Freshness, comfort and protection
Highly breathable gloves
- ✓ **Standard 100 by OEKOTEX®**
Tested for harmful substances
Extended safety, skin friendly
- ✓ **Enhanced protection**
According to the European standards
Certified to ensure the best protection
- ✓ **ISO 9001**
Quality system

DIGITX® HIGH-TECH GLOVES

**YOUR
SUCCESS
IS IN YOUR
HANDS**

digitX®
digitx-gloves.com

DURALUX

The glove that breaths.
So you feel safe and protected!

- 15G nylon/lycra with new generation spraying nitrile coated glove.
- Excellent dexterity (level 5), sensitivity and tactility.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.
- **Anti-microbial** treatment.
- Confidence in textiles.
- Applications: Handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...

AVAILABLE SIZES

6 7 8 9 10 11

EXTRA-LONG CUFF
Greater protection

EXTRA RESISTANT
21.000 abrasion cycles

BREATHABLE
Fresh feelings

ANTIMICROBIAL
Greater hygiene

EN ISO 21420:2020
EN388:2016+A1:2018

EN388:2016
+A1:2018



4131X

144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)

SCAN QR



60-10 DuraLux Palm



60-11 DuraLux 3/4



60-12 DuraLux Coated



**CONFIDENCE
IN TEXTILES**
Tested for harmful substances

**ANTI
MICROBIAL
TREATMENT**

**21.000
abrasion
cycles**



NITRILE

NYLON

LYCRA

15G

BREATHABLE

PALM
COATING

24 g

5
DEXTERITY

TOUCH

DIGITX® HIGH-TECH GLOVES

NITRILE

NYLON

LYCRA


15G

PALM
COATING

19 g

5
DEXTERITYTOUCH
ANTI
MICROBIAL
TREATMENT

Only 19 g!

super light
foam nitrile
**DIGILUX**EN388:2016
+A1:2018

4121X

AVAILABLE SIZES

6 7 8 9 10 11

Extended tactility and sensitivity

- 15G nylon/lycra with new generation spraying nitrile coated glove.
- **Super thin** foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...

144 pairs per box

12 pairs per polybag

Supplied with hang tag (Individual)



60-20 Digilux Palm

60-22 Digilux Coated

SCAN QR

EN ISO 21420:2020
EN388:2016+A1:2018

DIGITX® HIGH-TECH GLOVES

OXYLUX


VERY COMFORTABLE!

AVAILABLE SIZES

5 6 7 8 9 10 11

FROM SIZE 5

ANTI
MICROBIAL
TREATMENT



EXTRA-LONG CUFF
Greater protection

ULTRA LIGHTWEIGHT
Only 23 g


BREATHABLE
Fresh feelings

ANTIMICROBIAL
Greater hygiene



**PALM DOTS
EXTRA GRIP!**

EN388:2016
+A1:2018



4131X

EN ISO 21420:2020
EN388:2016+A1:2018

THE WORLD IS IN YOUR HANDS

digitX®

**CONFIDENCE
IN TEXTILES**
Tested for harmful substances

Ultra light
Only 23 g!

OXYLUX

**Design & performance.
Maximum comfort!**

- 15G nylon/spandex with a new generation foam nitrile palm coating glove. High quality glove that combines design and performance for precision handling.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions.
- Applications: Dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.

144 pairs per box
12 pairs per polybag
Supplied with hang tag

DIGITX® HIGH-TECH GLOVES

Anti
finger
print



HANDYLUX PALM 60-60

AVAILABLE SIZES

6 7 8 9 10 11

EN388:2016
+A1:2018



Flexible and durable

- 15G white nylon/lycra with new generation foam nitrile palm coated glove.
- Breathable back for better comfort.
- Micro-foam nitrile coating offers a good breathability.
- Good grip in dry and wet conditions.
- Light grey coating/white lining.
- Applications: Handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, small tools, ...

144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)

Only
18 g

SCAN QR



ultra light!



EN ISO 21420:2020
EN388:2016+A1:2018

NITRILE NYLON LYCRA 15G

18 g 5 DEXTERITY PALM COATING BREATHABLE

TACTYLUX 61-15



Ultra light
Only 14 g!



ANTI
MICROBIAL
TREATMENT

EN ISO 21420:2020
EN388:2016+A1:2018



AVAILABLE SIZES

6 7 8 9 10 11

Extra thin

- 18G nylon liner, microfoam nitrile palm coated.
- The lightest weight glove with perfect dexterity, flexibility and minimum hand fatigue.
- 360° breathability to keep your hands cool and comfortable full day. Super soft, comfortable and good fitting.
- 10-finger **touchscreen** functionality enables you to use all touch screen devices on the job.
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort.
144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)

TOUCHSCREEN!

18G

YARN
THICKNESS



SCAN QR



EN388:2016
+A1:2018



4111X

- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our protective gloves which can withstand 10 washes with mechanic levels remaining the same. Wash at 40°C max.
- Applications: Small and precise objects handling, assembly, maintenance, glass and screen industries, logistics, using tools, wiring...

Driver's
style



RACERLUX COATED 60-32

AVAILABLE SIZES

6 7 8 9 10 11

Waterproof, flexible and durable

- 15G Super thin foam nitrile glove, driver's style.
- Good grip and fit: Its design gives better grip and greater glove hand movement. Designed for easy movement and continuous wear.
- Extended protection and precision handling in oil, greasy and dirty environments.
- Elastic on reverse for an improved fit and better comfort. Easy on and off flexibility between tasks.
- Gloves are suitable for multi-purpose use. Ideal for handling in dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc..

144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)

EN388:2016
+A1:2018



4121X

EN ISO 21420:2020
EN388:2016+A1:2018



WATER
PROOF



NYLON

LYCRA

15G



FULL
COATED

35 g

5
DEXTERITY

TOUCH

FOAM
NITRILE

DIGITX® HIGH-TECH GLOVES

Optimized **grip!**




WATER&OIL PROOF
HEAT **UP TO 100°C**



WATER-OIL
REPELLENT

HEAT RESISTANT
UP TO 100°C

EXTRA GRIP
Rough finish



DRYLUX COATED 60-42

AVAILABLE SIZES

6 7 8 9 10 11

Water and oil repellent.
Flexible and durable

- 15G nitrile glove, **water and oil repellent**. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility.
- **Very good grip:** Palm and fingertips made of sandy finish. It provides an excellent grip, whether in dry, wet or water applications. The rough powered finish improves the glove's grip and grasping of objects in a greasy or damp environment.
- **Heat protection:** Up to 100°C contact heat.
- Extended protection and precision handling in oily, greasy and dirty environments. It stays flexible and liquid proof in contact with oil.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for handling in wet, oily and greasy environments, dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc.

EN388:2016
+A1:2018



4131X

EN407:
2020



X1XXXX

EN ISO 21420:2020
EN388:2016+A1:2018
EN407:2020

FLAT NITRILE	NYLON	LYCRA	15G	FULLY COATED
SANDY NITRILE PALM	41 g	5 DEXTERITY	GRIP »»»	WATER- PROOF
OIL	144 pairs per box 12 pairs per polybag Supplied with hang tag (Individual)			

armolux

AVAILABLE SIZES

6 7 8 9 10 11



Optimized grip

- 15G spandex/nylon liner with nitrile micro foam coating, with embossing.
- **Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environments.
- **HEAT RESISTANT UP TO 100°C** (palm coated 62-10).
- Absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...

VERY GOOD GRIP
RAISED STRIPES



EXTRA RESISTANT
Abrasion



FLEXIBLE
Maximum dexterity



144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)



PALM STRIPES
EXTRA GRIP!


62-10 ArmoLux Palm



HEAT UP TO 100°C

EN388:2016
+A1:2018

EN407:
2020



4131X

X1XXXX

EN ISO 21420:2020
EN388:2016+A1:2018
EN407:2020

SCAN QR



PALM STRIPES
EXTRA GRIP!



62-12 ArmoLux Coated

SCAN QR



EN388:2016
+A1:2018



4131X

EN ISO 21420:2020
EN388:2016
+A1:2018



62-14 ArmoLux TouchScreen

Super light

SCAN QR



Optimized
grip! RAISED
STRIPES

NITRILE

NYLON

SPANDEX

15G

GRIP

OIL

5
DEXTERITY

TOUCH

DIGITX® HIGH-TECH GLOVES



CUT RESISTANT GLOVES

CUT RESISTANT FIBRES

FIBRAS ANTICORTE

FIBRES ANTI-COUPURE

FIBRE ANTITAGLIO

ANTI-CUT FASERN

WÓKNA ANTYCIĘCIOWE

Priešpjauštyti pluoštai

ANTI-CUT FIBERS

ПРОТИВОРЕЗАННЫЕ ВОЛОКНА

عطق لى ةداضم فايلى



Patented
technology



DIGITX® HITECH GLOVES



Double coating
2 layers of nitrile

WATER&OIL PROOF
CUT **RESISTANT**



DRY CUT 64-23

SCAN QR




EN388:2016
+A1:2018



4X43C

EN ISO 21420:2020
EN388:2016+A1:2018



144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)

AVAILABLE SIZES

6 7 8 9 10 11

- 13G fully nitrile sandy double coating provides superior grip in dry, wet and oily conditions.
- Special seamless knit Digitix® cut resistant fibres shell offers good comfort, finger dexterity and high protection.
- Excellent resistance to liquid permeation. Oil and water does not penetrate the glove, keeping hands dry.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility: Long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove. Anatomically shaped to provide good fit.
- Dark coating hide dirt.
- Ideal for glass handling operations, general maintenance, piscatorial, sheet metal handling, sharp small parts handling, waste handling and recycling, construction, ...

18G YARN THICKNESS



CUT RESISTANT



EN388:2016
+A1:2018



4X42B

EN407:
2020



X1XXXX

SCAN QR



CUTFORT
64-60

AVAILABLE SIZES

6 7 8 9 10 11

Extra thin & breathable

- 18G exclusive lining technology contributing it the thinnest and finest cut B nitrile glove.
- Over 30% lighter than a standard cut B nitrile glove. Perfect dexterity, flexibility, super comfort and very good fitting.
- Thermal risks: 100°C (heat contact)
- Super grip in both dry and oily working conditions.
- Greater hygiene thanks the **anti-microbial** treatment: **Sanitized®** hygiene function.



Ultra light

EN ISO 21420:2020
EN388:2016+A1:2018
EN407:2020

144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)

- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



CUT RESISTANT



SCAN QR



PICCUT
64-50

AVAILABLE SIZES

6 7 8 9 10 11

Reinforced

EN388:2016
+A1:2018



4X42B

EN ISO 21420:2020
EN388:2016+A1:2018

- 13G Digitx® cut resistant fibres/nylon/spandex liner with water PU coating.
- Reinforcement nitrile at the thumb crotch extends the glove lifetime and prevents injuries.
- Back of the hand is uncoated for good breathability while thumb crotch area is reinforced with nitrile patch to reduce wear in critical area.
- Special seamless knit nylon and spandex shell offers increased comfort, finger dexterity and breathability.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

Reinforced!
Reinforcement nitrile
thumb scotch



DIGITX® HITECH GLOVES

FORTILUX

64-61

AVAILABLE SIZES

6 7 8 9 10 11

18G

YARN THICKNESS

Reinforced thumb CUT resistant B

- 18G HDPE liner, with nitrile palm coating and reinforced thumb.
- Over 30% lighter than a standard cut B nitrile glove.
- Maximum touch, as our second skin.
- Super grip in both dry and oily working conditions.
- Tested for harmful substances according the Oeko-tex standard® 100.
- Reinforced thumb for enhanced protection and durability.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.

● Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

EN ISO 21420:2020
EN388:2016+A1:2018

EN388:2016
+A1:2018



4231B

144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)

CUT
B

CONFIDENCE
IN TEXTILES
Tested for harmful substances

Thinnest!
NEW



SCAN QR



Reinforced!
Between thumb & forefinger

UHMWP

CUT

NITRILE

18G

↑↑↑
BREATHABLE
↓↓↓

PALM
COATING

26 g

5
DEXTERITY

TOUCH
👉

DIGITX® HITECH GLOVES




Padded palm

CUT RESISTANT



SCAN QR



BLADELUX 64-10

AVAILABLE SIZES

6 7 8 9 10 11

Excellent cut protection: Level D
Pads on palm

- Pads sewed on the palm enhance the puncture level and durability.
 - Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
 - Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...
- 144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)

- 13G High performance Digitx® cut resistant fibres provide excellent cut resistance while maintaining flexibility and dexterity (level 5).
- Excellent mechanical resistances: 4X43.
- Light, comfortable and anti-vibration pads.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.

ROBUSTOLUX 64-31

CUT RESISTANT



SCAN QR



Reinforced!



EN ISO 21420:2020
EN388:2016+A1:2018

EN388:2016
+A1:2018



AVAILABLE SIZES

6 7 8 9 10 11

Reinforced

- Cut protection 13G glove.
- High tech granulated micro foam sandy finished nitrile coated glove.
- Fully nitrile sandy coating provides superior grip in dry, wet and oily conditions.
- Reinforced thumb. PU sewed on thumb crotch, prevents injuries and extends glove lifetime.
- Excellent cut protection: Level D.
- Special seamless knit ultrahigh molecular weight polyethylene and Digitx® cut resistant fibres offer increased comfort, finger dexterity and breathability. It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.

- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and protecting partial the forearm.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)

GRIPCUT

64-40

AVAILABLE SIZES

6 7 8 9 10 11



CUT RESISTANT



SCAN QR



144 pairs per box
12 pairs per polybag
Supplied with hang tag (individual)

EN ISO 21420:2020
EN388:2016+A1:2018
EN407:2020

EN388:2016
+A1:2018



4X42D

EN407:
2020



X1XXXX



Optimized grip

- Cut protection glove (level D).
- 13G Digitx® cut resistant fibres, polyester, spandex with micro foam nitrile coating and nitrile dots on the palm.
- The dots increase grip, reducing hand fatigue and increasing comfort.
- GripCut® incorporates micro dots to increase durability and additional grip, without the loss of dexterity.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and debris from entering the glove.
- Excellent mechanical resistances.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Back of the hand is uncoated for good breathability.
- Excellent resistance to liquid permeation.
- Ideal for glass handling, gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...

OPTIMIZED GRIP

DOTS ON PALM & FINGERS
Durability and additional grip



NEW

HI VISIBILITY!


CUT RESISTANT



CUT LEVEL F!



EN ISO 21420:2020
EN388:2016+A1:2018
EN407:2020



144 pairs per box
12 pairs per polybag
Supplied with hang tag (Individual)



SCAN QR



ANTI
MICROBIAL
TREATMENT

TORNOLUX-N

64-71

AVAILABLE SIZES

6 7 8 9 10 11



Extra thin & breathable

- 13G UHMWPE/steel/glass nitrile palm coated cut resistant glove. Te highest ISO 13997 cut level F and ANSI CUT A8 glove. Thermal risks: 100°C (heat contact).
- Advanced yarns technology providing the highest cut protection but still soft, flexible and comfortable. Ideal for heavy duty work and critical cut/blade hazards.
- Foam nitrile coating provides great grip.
- Super oil resistance.
- Unrivalled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort. **Sanitized®** hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



DIGITX® HITECH GLOVES

SCANDYLUX

60-52

AVAILABLE SIZES

6 7 8 9 10 11



Water resistant glove for cold and wet conditions

- Fully coated with super thin foam nitrile. It includes 10G napped acrylic liner. Very soft to protect against cold, ensuring superior insulation.
- The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.
- Extra cold resistance: Ideally suited to tasks where workers need protection from the cold, maintaining comfort and dexterity.
- Suitable for use in wet/cold environments. Excellent resistance to liquid permeation.
- Seals and protects the hand against mechanical risks while remaining flexible and warm.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Excellent abrasion resistance equal to heavier gloves.
- Maximum flexibility and dexterity (level 5).
- Applications: Assembly, building, construction, carpentry, machinery, automotive, forestry, transport, etc.



Winter glove



EN388:2016
+A1:2018



4121X

SCAN QR



Inner lining



EN ISO 21420:2020
EN388:2016+A1:2018



PLATFORMS OF TECHNOLOGY



Durability

More than 21.000 abrasion cycles to breakthrough!

Three times the highest value of the standard.

Technology can extend wear life, so the durability of our products is a priority for us: We control the production, manufacture and materials, using the best quality of coatings and supports, getting triple the durability when compared with other gloves in the market.



Freshness, comfort and protection

Feel the difference of **anti-microbial** treated odor-resistant articles.

This treatment is integrated into the textile and offers long-lasting, safe and fresh wearing comfort—all day, every day. MPV® technology maintains freshness whenever you are letting you feel completely comfortable. The integrated anti-microbial hygiene function reliably and permanently equips against bacterial and fungal growth.



Breathes. Highly breathable, transpiration, extended comfort.

The perfect porous allows the full surface of the glove to transpire giving an extra comfort to the wearer's hand. This technology is already implemented in almost all the range. Digitx® gloves are made with the best technology to have the most flexible and comfortable membrane bringing the user a wonderful experience. Moreover, the breathability of the fabric ensures that transpiration moisture can escape quickly.



STANDARD 100 by OEKO-TEX®

It is an independent product label for all types of textiles **tested for harmful substances** – from yarns and fabrics to the ready-to-use items that you can buy. For you as a consumer, clothing and home textiles certified according to STANDARD 100 by OEKO-TEX® offer extensive safety regarding the harmlessness of textiles. Many aspects argue in favour of the reliability of the product label. Please visit www.oeko-tex.com for more information.



ISO 9001 Quality management

It is the title of a document that outlines the requirements an organization must maintain in their quality system for ISO 9001. It is all about keeping customers satisfied. A successful business knows that satisfied customers buy more, refer more and cost less to retain. As the world's most widely recognized quality management standard, it outlines ways to achieve, as well as benchmark, consistent performance and service.



CUT FORT Technology

The special fibres that enhance the cut protection whilst permitting an extraordinary dexterity.

Flexibility and comfort.

Advanced yarns technology providing **the highest cut protection** but still soft, flexible and comfortable.

**YOUR
SUCCESS
IS IN YOUR
HANDS**

digitX®
digitx-gloves.com